Serial No: 10/552,916 Filed: September 18, 2006

Page 2 of 12

AMENDMENTS TO THE CLAIMS

This listing of claims replaces all prior versions of listing of claims, and listing of claims in the

application.

<u>Listing of Claims</u>

1. (Previously presented) Polymerisation initiator system, comprising a water-

soluble container consisting of a water-soluble azo-initiator or a water-soluble azo-initiator

and at least one component selected from the group consisting of water-soluble anti-foaming

agents and water-soluble diluent materials.

2. (Original) Polymerisation initiator package according to claim 1, wherein the water-

soluble container is a bag.

3. (Previously presented) Polymerisation initiator system according to claim 1, wherein

the container is made of a water-soluble polymer.

4. (Original) Polymerisation initiator system according to claim 3, wherein the water-

soluble polymer is a water-soluble cellulosic polymer or polyvinylalcohol.

5. (Previously presented) Polymerisation initiator system according to claim 3,

wherein the container is an extruded container.

6. (Previously presented) Polymerisation initiator system according to claim 1, wherein

the azo-initiator is selected from the group consisting of compounds represented by the formula

2

 $(R^{1}R^{2}YC)-N=N-(CZR^{3}R^{4}).(2/n)HX^{n-}$

Formula I

Serial No: 10/552,916 Filed: September 18, 2006

Page 3 of 12

wherein

R¹, R², R³ and R⁴ each represent the same or a different alkyl group or cycloalkyl group

Y and Z each represent the same or a different group represented by the formula

Formula II

or

Formula III

R⁵ is a hydrogen atom or an optionally substituted alkyl, allyl or phenyl group

R⁶ is a hydrogen atom or an optionally substituted alkyl or phenyl group

R⁷ is an optionally substituted alkylene group

R⁸ is a hydrogen atom or a hydroxyalkyl group

X is a anion, wherein n represents its valence, and X is preferably a monovalent anion, more preferably chloride, bromide or acetate.

7. (Previously presented) Polymerisation initiator system according to claim 1, wherein the azo-initiator is 2,2'-Azobis(2-amidinopropane), 2,2'-azobis[2-(2-imidazolin-2-yl)propane] or a salt thereof.

Serial No: 10/552,916 Filed: September 18, 2006

Page 4 of 12

8. (Previously presented) Polymerisation initiator system according to claim 1,

wherein the amount of azo-initiator in the container is in the range of 1 g to 25 kg.

9. (Cancelled)

10-14. Withdrawn

15. (Previously presented) Method for preparing a polymerisation initiator system

according to claim 1, wherein the water-soluble azo-initiator is introduced into the water-soluble

container, after which the container is sealed.

16. (Previously presented) Method for handling a polymerisation initiator system

according to claim 1, wherein the system is transferred from a polymerisation initiator system

manufacturing site to a polymer production site and integrally introduced into a polymerisation

reactor.

17. (Previously presented) Polymerisation initiator system according to claim 1,

wherein the azo-initiator is in the form of powder, crystals, granules, or combinations thereof.

18. (Previously presented) Polymerisation initiator system according to claim 8,

wherein the amount of azo-initiator in the container is in the range of 100g to 10 kg.

19. (Previously presented) Polymerisation initiator system, comprising a water-soluble

container and a water-soluble azo-initiator inside the container wherein the azo-initiator is in the

form of powder, crystals, granules, or combinations thereof.

20. (New) Polymerisation initiator system according to claim 19, wherein the azo-initiator is

2,2'-Azobis(2-amidinopropane) dihydrochloride and the water-soluble container is a

polyvinylalcohol bag.

4

Serial No: 10/552,916 Filed: September 18, 2006

Page 5 of 12

21. (New) Polymerisation initiator system according to claim 19, wherein the water-soluble container consists of a water-soluble azo-initiator.

- 22. (New) Polymerisation initiator system according to claim 19, wherein the azo-initiator is in the form of crystals.
- 23. (New) Polymerisation initiator system according to claim 19, wherein the azo-initiator is in the form of powder.
- 24. (New) Polymerisation initiator system, consisting of 2,2'-Azobis(2-amidinopropane) dihydrochloride in a water-soluble polyvinylalcohol bag.